



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE UNITED STATES
PUBLIC HEALTH SERVICE

VOLUME 35 :: :: NUMBER 13

MARCH 26 - - 1920

SPECIAL ARTICLES

Influenza—Prevalence in the United States
Occupation in Relation to Tuberculosis
Municipal Narcotic Dispensaries



WASHINGTON
GOVERNMENT PRINTING OFFICE
1920

UNITED STATES PUBLIC HEALTH SERVICE.

HUGH S. CUMMING, *Surgeon General*.

DIVISION OF SANITARY REPORTS AND STATISTICS.

ASST. SURG. GEN. B. S. WARREN, *Chief of Division*.

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

II

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, \$2 PER YEAR

▽

CONTENTS.

	Page.
Influenza—Prevalence in the United States.....	747
Occupation in relation to tuberculosis.....	751
Municipal narcotic dispensaries.....	771
Deaths during week ended March 13, 1920:	
In certain large cities of the United States.....	774
Death claims reported by insurance companies.....	774
PREVALENCE OF DISEASE.	
United States:	
Current State summaries—	
Telegraphic reports for week ended March 20, 1920.....	775
Kentucky report for week ended March 13, 1920.....	778
Summary of cases reported monthly by States.....	779
Anthrax—Delaware and New York—February, 1920.....	779
Cerebrospinal meningitis—	
State reports for February, 1920.....	780
City reports for week ended March 6, 1920.....	780
Influenza—	
Maryland report for February, 1920.....	780
City reports for week ended March 6, 1920.....	781
Leprosy—California and Louisiana.....	783
Lethargic encephalitis—California, Louisiana, Maryland, and Michigan...	783
Malaria—	
State reports for February, 1920.....	783
City reports for week ended March 6, 1920.....	783
Pellagra—	
State reports for February, 1920.....	784
City reports for week ended March 6, 1920.....	784
Plague (rodent)—New Orleans, La.....	784
Pneumonia (all forms)—City reports for week ended March 6, 1920.....	784
Poliomyelitis (infantile paralysis)—	
State reports for February, 1920.....	786
City reports for week ended March 6, 1920.....	786
Rabies in animals—Akron, Ohio, Bayonne, N. J., and Cincinnati, Ohio..	787
Smallpox—	
State reports for February, 1920—Vaccination histories.....	787
State reports for February, 1920.....	789
City reports for week ended March 6, 1920.....	789
Tetanus—Los Angeles, Calif., Rock Island, Ill., and Winston-Salem, N. C.....	790
Typhoid fever—	
State reports for February, 1920.....	790
City reports for week ended March 6, 1920.....	792
Diphtheria, measles, scarlet fever, and tuberculosis—City reports for week ended March 6, 1920.....	792
Foreign and Insular:	
Plague on vessel—Steamship “Alps Maru”—Port of London.....	798
Cuba—Communicable diseases—Habana.....	798
Italy—Lethargic encephalitis.....	798

Foreign and Insular:	Page.
Luxemburg—Lethargic encephalitis.....	798
Spain—Lethargic encephalitis—Barcelona.....	799
Influenza—Reports received during week ended March 26, 1920.....	799
Cholera, plague, smallpox, typhus fever, and yellow fever—	
Reports received during week ended March 26, 1920—	
Cholera.....	800
Plague.....	800
Smallpox.....	800
Typhus fever.....	801
Reports received from December 27, 1919. to March 19, 1920—	
Cholera.....	801
Plague.....	803
Smallpox.....	804
Typhus fever.....	807
Yellow fever.....	808